

File-System: General



File Structure

- No structure - sequence of words or bytes
- Simple record structure
 - Lines
 - ▶ Fixed length
 - ▶ Variable length
- Complex Structures
 - Formatted document
 - Relocatable load file
- Who decides the structure?
 - Operating system or
 - User or User Program

File Types – Name, Extension

file type	usual extension	function
executable	exe, com, bin or none	ready-to-run machine-language program
object	obj, o	compiled, machine language, not linked
source code	c, cc, java, pas, asm, a	source code in various languages
batch	bat, sh	commands to the command interpreter
text	txt, doc	textual data, documents
word processor	wp, tex, rtf, doc	various word-processor formats
library	lib, a, so, dll	libraries of routines for programmers
print or view	ps, pdf, jpg	ASCII or binary file in a format for printing or viewing
archive	arc, zip, tar	related files grouped into one file, sometimes compressed, for archiving or storage
multimedia	mpeg, mov, rm, mp3, avi	binary file containing audio or A/V information

Basic File Attributes

- **Name** – only information kept in human-readable form
- **Identifier** – unique tag (number) identifies file within file system
- **Type** – needed for systems that support different types
- **Location** – pointer to file location on device
- **Size** – current file size
- **Protection** – controls who can do reading, writing, executing
- **Time, date, and user identification** – data for protection, security, and usage monitoring
- Information about files are kept in the directory structure, which is maintained on the disk

Basic File Operations

- File is an **abstract data type**
- **Create**
- **Write**
- **Read**
- **Reposition within file**
- **Delete**
- **Truncate**
- $Open(F_i)$ – search the directory structure on disk for entry F_i and move the content of entry to memory
- $Close(F_i)$ – move the content of entry F_i in memory to directory structure on disk

Open Files: Files currently in use

- Several pieces of data are needed to manage open files:
 - File pointer: pointer to last read/write location, per process that has the file open
 - File-open count: counter of number of times a file is open – to allow removal of data from open-file table when last processes closes it...
 - Disk location of the file: cache of data access information
 - Access rights: per-process access mode information

Access Methods

■ **Sequential Access**

read next
write next
reset


■ **Direct Access**

read *n*
write *n*
position to *n*
read next
write next
rewrite *n*

n = relative block number from the start of the file


Directory an file

■ A collection of nodes containing information about all files



Both the directory and the files reside on disk

A Typical File-system Organization




Operations Performed on a Directory

- Search for a file
- Create a file
- Delete a file
- List a directory
- Rename a file
- Traverse the file system

Organize the Directory (Logically) to Obtain

- Efficiency – locating a file quickly
- Naming – convenient to users
 - Two users can have same name for different files
 - The same file can have several different names
- Grouping – logical grouping of files by properties, (e.g., all Java programs, all games, ...)

Tree-Structured Directories



Tree-Structured Directories (Cont)

- Efficient searching
- Easy Grouping Capability
- Easy directory switch
 - Current directory (working directory) concept


Operating System Concepts

10.13

Silberschatz, Galvin and Gagne ©2005

Acyclic-Graph Directories

- Have shared subdirectories and files



Operating System Concepts

10.14

Silberschatz, Galvin and Gagne ©2005

Acyclic-Graph Directories (Cont.)


- Two different names (aliasing) for the same file:
 - Delete may cause dangling pointer

Operating System Concepts

10.15

Silberschatz, Galvin and Gagne ©2005

General Graph Directory



Operating System Concepts

10.16

Silberschatz, Galvin and Gagne ©2005

General Graph Directory (Cont.)

- How do we guarantee no cycles?
 - Allow only links to files, not subdirectories
 - Garbage collection
 - Every time a new link is added use a cycle detection algorithm to determine whether it is free of cycles

Operating System Concepts

10.17

Silberschatz, Galvin and Gagne ©2005


File System Mounting

- A file system must be **mounted** before it can be accessed
- A unmounted file system (i.e. Fig. 11-11(b)) is mounted at a **mount point**

Operating System Concepts

10.18


Silberschatz, Galvin and Gagne ©2005

(a) Existing. (b) Unmounted Partition

Operating System Concepts

10.19

Silberschatz, Galvin and Gagne ©2005

Mount Point

Operating System Concepts

10.20

Silberschatz, Galvin and Gagne ©2005

File Sharing

- Sharing of files on multi-user systems is desirable
- Sharing may be done through a **protection scheme**
- On distributed systems, files may be shared across a network
- Network File System (NFS) is a common distributed file-sharing method

Operating System Concepts

10.21

Silberschatz, Galvin and Gagne ©2005

File Sharing – Remote File Systems

- Uses networking to allow file system access between systems
 - Manually via programs like FTP
 - Automatically, seamlessly using **distributed file systems**
 - Semi automatically via the **world wide web**
- **Client-server** model allows clients to mount remote file systems from servers
 - Server can serve multiple clients
 - Client and user-on-client identification is insecure or complicated
 - **NFS** is standard UNIX client-server file sharing protocol
 - **CIFS** is standard Windows protocol
 - Standard operating system file calls are translated into remote calls
- Distributed Information Systems (**distributed naming services**) such as LDAP, DNS, NIS, Active Directory implement unified access to information needed for remote computing

Operating System Concepts

10.22

Silberschatz, Galvin and Gagne ©2005

File Sharing – Failure Modes

- Remote file **systems** add new failure modes, due to network failure, server failure
- Recovery from failure can involve state information about status of each remote request
- Stateless protocols such as NFS include all information in each request, allowing easy recovery but less security

Operating System Concepts

10.23

Silberschatz, Galvin and Gagne ©2005

Protection

- File owner/creator should be able to control:
 - what can be done and by whom
- Types of access
 - **Read**
 - **Write**
 - **Execute**
 - **Append**
 - **Delete**
 - **List**

Operating System Concepts

10.24


Silberschatz, Galvin and Gagne ©2005

Access Lists and Groups

- Mode of access: read, write, execute
- Three classes of users

a) owner access	7	⇒	RWX 1 1 1
b) group access	6	⇒	RWX 1 1 0
c) public access	1	⇒	RWX 0 0 1

- Ask manager to create a group (unique name), say G, and add some users to the group.
- For a particular file (say *game*) or subdirectory, define an appropriate access.



Attach a group to a file

```
chgrp G game
```

End